Press Release.

Linde Material Handling

Image no. 4126_1842_B_Presse.jpg for press release 5/2015 dated 26 March 2015

Available either as a pedestrian version or with folding stand-on platform, the new pallet stackers Linde L14-L20 for lift heights of over 5.30 metres feature numerous new functions.

This photo is also available to download in a printable resolution (13 x 18 cm, 300 dpi) from our homepage: www.linde-mh.com, in the "News, Press Releases" section.

Photo: Linde Material Handling GmbH, Aschaffenburg, Germany.
Released for publication.

Image no. 4126_1989_B_Presse.jpg for press release 5/2015 dated 26 March 2015

In order to protect the driver against injuries, there should a sufficient distance between the user and the vehicle at all times. In case of the pallet stackers Linde L14 to L20, this is ensured by the “Safety Speed” function which reduces the driving speed at small tilt angles of the tiller.

This photo is also available to download in a printable resolution (13 x 18 cm, 300 dpi) from our homepage: www.linde-mh.com, in the "News, Press Releases" section.

Photo: Linde Material Handling GmbH, Aschaffenburg, Germany.
Released for publication.

Image no. 4126_1570_B_Presse.jpg for press release 5/2015 dated 26 March 2015

The active weighing device of the new pallet stackers Linde L14 to L20 measures the load with an accuracy of +/- 50 kg and indicates the value on the display.

This photo is also available to download in a printable resolution (13 x 18 cm, 300 dpi) from our homepage: www.linde-mh.com, in the "News, Press Releases" section.

Photo: Linde Material Handling GmbH, Aschaffenburg, Germany.
Released for publication.